### University of Mumbai Examination 2020 under cluster : KJSIEIT Program: BE CIVIL ENGINEERING Curriculum Scheme: Rev2016 Examination: SE Semester IV

Course Code: CEC405 and Course Name: Building Materials & Construction Technology Time: 2 hour Max. Marks: 80

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks	
1.	Due to attack of dry rot, the timber	
Option A:	Cracks	
Option B:	Shrinks	
Option C:	Reduces to powder	
Option D:	Bulges	
2.	Which of the following is correct for Low heat cement	
Option A:	Suitable for use in cold weather areas	
Option B:	Heat of hydration is reduced by tri calcium aluminate content	
Option C:	This cement requires longer period of curing	
Option D:	This cement contains high aluminate percentage usually between 35-55%	
3.	Which IS code is used for the Rebound Hammer test?	
Option A:	IS: 13311(2)-1992	
Option B:	IS: 13311(1)-1992	
Option C:	IS: 456-2000	
Option D:	IS: 1341-1980	
4.	What should be placed at the beginning of every header course in English bond to	
	avoid vertical joint?	
Option A:	Queen closer	
Option B:	Half bat	
Option C:	Three fourth bat	
Option D:	King closer	
5.	The process in which grinding is done to the finished stones to make it smooth	
	and good looking is called as	
Option A:	Polishing	
Option B:	Finishing	
Option C:	Planning	
Option D:	Sizing	
	· · · · · · · · · · · · · · · · · · ·	
6.	Which type of pointing is kept vertical and it is placed inside the wall surface.	
Option A:	Weathered	
Option B:	Tuck	
Option C:	Vee pointing	

\_\_\_

Option D:	Recessed	
7.	The horizontal course provided at suitable levels between the plinth and the	
	cornice is termed as	
Option A:	Sill	
Option B:	Corbel	
Option C:	String Course	
Option D:	Cornice	
8.	What is the approx. mix proportion for M10?	
Option A:	1:3:6	
Option B:	1:2:4	
Option C:	1:1.5:3	
Option D:	1:1:2	
9.	After how many days is the strength of cement is tested and graded according to	
	the result?	
Option A:	7 days	
Option B:	28 days	
Option C:	14 days	
Option D:	1 day	
10.	Removing the stones from bed surface is called as	
Option A:	Dressing	
Option B:	Mining	
Option C:	Quarrying	
Option D:	Blasting	
11.	In manufacturing of bricks, at what temperature are bricks heated for getting	
	good strength and stability?	
Option A:	200-400 degree Celsius	
Option B:	600-750 degree Celsius	
Option C:	400-500 degree Celsius	
Option D:	800-1100 degree Celsius	
12.	Which of the following is used to transport the concrete from manufacturing	
	place to site at RMC plant?	
Option A:	Crane	
Option B:	Transit Mixer	
Option C:	Dumper	
Option D:	wneel Barrow	
10	Construction mothod in which as sets is a sensed in ( )	
13.	moving form is called as	
Option A:	Cantilayar Formwork	
Option A:		
Option C:	FIY FOILIWOIK	
Option D:	Sup Formwork	
Option D:		
1.4	The technique of renairing morter joints between briefs or other massers	
14.	1 ne technique of repairing mortar joints between bricks of other masonry	

	elements is called as	
Option A:	Plastering	
Option B:	Pointing	
Option C:	Painting	
Option D:	Concreting	
15.	What is used in construction to provide a degree of thermal insulation, weather	
	resistance, and to improve the appearance of buildings in exterior portion?	
Option A:	Claddings	
Option B:	Roof coverings	
Option C:	Trusses	
Option D:	Painting	
16.	What is the standard size of concrete cube for testing as per IS standard?	
Option A:	15 cm* 15 cm*19 cm	
Option B:	150mm *150mm*150mm	
Option C:	19cm* 15cm*15cm	
Option D:	170mm*170mm*90mm	
17.	Initial setting time of Ordinary Portland cement is nearly	
Option A:	half a minute	
Option B:	5 min	
Option C:	45 min	
Option D:	30 min	
-		
18.	Which of the below is added to make mortar fire proof?	
Option A:	Gypsum	
Option B:	Asbestos cement	
Option C:	Aluminous cement	
Option D:	Powdered glass	
19.	What should be the frequency range of transduce in UPV testing?	
Option A:	20 KHz to 150 KHz	
Option B:	20 Hz to 150 Hz	
Option C:	250 KHz to 350 KHz	
Option D:	250 Hz to 350 Hz	
20.	Which vibrator is attached to the form work and the external centring of walls,	
	column, etc.	
Option A:	Immersion vibrators	
Option B:	Surface vibrators	
Option C:	Internal vibrators	
Option D:	Shutter vibrators	

Q2	Solve any Four out of Six5 marks each	
(20 Marks )		
А	Explain the properties of materials used for building construction.	
В	State the types of concrete mix and explain any one of them.	
С	State the types of glass and its Applications.	
D	Explain Terrazzo flooring.	
Е	Write short note on grade of concrete.	
F	Explain the preservative treatments for stones.	

Q3 (20 Marks )	Solve any Four out of Six	5 marks each
А	Write a note on recycled construction material.	
В	Explain quarrying of stones.	
С	Write a short note on "Trail Mixes" in mix design.	
D	Demerits of distemper as compared to paints.	
E	State and explain properties of fresh concrete.	
F	Compare natural seasoning and kiln seasoning of timbe	er.

### University of Mumbai Examination 2020 under cluster KJSIEIT Program: CIVIL Engineering Curriculum Scheme: Rev2016 Examination: Second Year Semester IV Course Code: CE-C406 and Course Name: FM-II

\_\_\_\_\_

Time: 2 hours

\_\_\_\_\_

Max. Marks: 80

For the students:- All the Questions are compulsory and carry equal marks .

Q1.	A liquid flows through pipes 1 and 2 with the same flow velocity. If the ratio of	
	their pipe diameters $d_1$ : $d_2$ be 3:2, what will be the ratio of the head loss in the	
	two pipes?	
Option A:	3:2	
Option B:	9:4	
Option C:	2:3	
Option D:	4:9	
Q2.	Coefficient of friction of a laminar flow is	
Option A:	R <sub>e</sub> /16	
Option B:	R <sub>e</sub> /64	
Option C:	16/R <sub>e</sub>	
Option D:	64/R <sub>e</sub>	
Q3.	The stagnation state is obtained after a to zero velocity.	
Option A:	Accelerating	
Option B:	Decelerating	
Option C:	Equilibrium	
Option D:	Exponential increase	
Q4.	The vertical intercept between EGL and HGL is equal to	
Option A:	Pressure head	
Option B:	Potential head	
Option C:	Kinetic head	
Option D:	Piezometric head	
Q5.	A liquid flows through two similar pipes 1 and 2. If the ratio of their flow	
	velocities $v_1 : v_2$ be 2:3, what will be the ratio of the head loss in the two pipes?	
Option A:	velocities $v_1 : v_2$ be 2:3, what will be the ratio of the head loss in the two pipes? 3:2	
Option A: Option B:	<ul> <li>velocities v<sub>1</sub>: v<sub>2</sub> be 2:3, what will be the ratio of the head loss in the two pipes?</li> <li>3:2</li> <li>9:4</li> </ul>	
Option A: Option B: Option C:	velocities v <sub>1</sub> : v <sub>2</sub> be 2:3, what will be the ratio of the head loss in the two pipes?         3:2         9:4         2:3	
Option A: Option B: Option C: Option D:	<ul> <li>velocities v<sub>1</sub>: v<sub>2</sub> be 2:3, what will be the ratio of the head loss in the two pipes?</li> <li>3:2</li> <li>9:4</li> <li>2:3</li> <li>4:9</li> </ul>	
Option A: Option B: Option C: Option D:	velocities v <sub>1</sub> : v <sub>2</sub> be 2:3, what will be the ratio of the head loss in the two pipes?         3:2         9:4         2:3         4:9	
Option A: Option B: Option C: Option D: Q6.	velocities v <sub>1</sub> : v <sub>2</sub> be 2:3, what will be the ratio of the head loss in the two pipes?         3:2         9:4         2:3         4:9         What is the total loss developed in a series of pipes?	
Option A: Option B: Option C: Option D: Q6. Option A:	<ul> <li>velocities v<sub>1</sub>: v<sub>2</sub> be 2:3, what will be the ratio of the head loss in the two pipes?</li> <li>3:2</li> <li>9:4</li> <li>2:3</li> <li>4:9</li> <li>What is the total loss developed in a series of pipes?</li> <li>Sum of losses in each pipe only</li> </ul>	
Option A: Option B: Option C: Option D: Q6. Option A: Option B:	velocities v <sub>1</sub> : v <sub>2</sub> be 2:3, what will be the ratio of the head loss in the two pipes?         3:2         9:4         2:3         4:9         What is the total loss developed in a series of pipes?         Sum of losses in each pipe only         Sum of local losses plus the losses in each pipe	
Option A: Option B: Option C: Option D: Q6. Option A: Option B: Option C:	velocities v <sub>1</sub> : v <sub>2</sub> be 2:3, what will be the ratio of the head loss in the two pipes?         3:2         9:4         2:3         4:9         What is the total loss developed in a series of pipes?         Sum of losses in each pipe only         Sum of local losses plus the losses in each pipe         Sum of local losses only	
Option A: Option B: Option C: Option D: Q6. Option A: Option B: Option C: Option D:	velocities v <sub>1</sub> : v <sub>2</sub> be 2:3, what will be the ratio of the head loss in the two pipes?         3:2         9:4         2:3         4:9         What is the total loss developed in a series of pipes?         Sum of losses in each pipe only         Sum of local losses plus the losses in each pipe         Sum of local losses only         Zero	
Option A: Option B: Option C: Option D: Q6. Option A: Option B: Option C: Option D:	velocities v <sub>1</sub> : v <sub>2</sub> be 2:3, what will be the ratio of the head loss in the two pipes?         3:2         9:4         2:3         4:9         What is the total loss developed in a series of pipes?         Sum of losses in each pipe only         Sum of local losses plus the losses in each pipe         Sum of local losses only         Zero	

### University of Mumbai Examination 2020 under cluster KJSIEIT

	Gradient Line
Option A:	increases
Option B:	remains constant
Option C:	decreases
Option D:	initially increases then stagnant
<b>1</b>	
Q8.	What is the function of a surge tank?
Option A:	It causes water hammer
Option B:	Produces surge in the pipeline
Option C:	Relieves water hammer
Option D:	Supplies water at constant pressure
1	
09.	For a 2-D flow, what is the mixing length of the mixing layer turbulence model?
Option A:	0.1 of layer width
Option B:	0.07 of layer width
Option C:	0.08 of layer width
Option D:	0.09 of layer width
opuon 21	
O10.	The Reynolds number is found out for a flow in a circular pipe. This circular pipe
<b>X</b> <sup>1</sup> 01	is moulded into a square pipe, keeping length of the pipe same. Ignore the
	thickness of the pipe. The Reynolds number changes by
Option A:	57% increase
Option B:	57% decrease
Option C:	43% decrease
Option D:	43% increase
option D.	
011	Local skin friction coefficient is given by
Option A:	$0.646/(\text{Re})^{1/2}$
Option B:	$\frac{1.646}{(\text{Re})^{1/2}}$
Option C:	$2.646/(\text{Re})^{1/2}$
Option D:	$3.646/(\text{Re})^{1/2}$
Option D.	5.040/ (NC)
012	The Prandtl Number approximates
Option $A^{\cdot}$	Thermal diffusivity to momentum diffusivity
Option B:	Shear stress to thermal diffusivity
Option C:	Thermal diffusivity to kinematic viscosity
Option D:	Momentum diffusivity to thermal diffusivity
Option D.	
013	Change in momentum is
$Q_{13}$	the result of powers acting on the surface of the control volume
Option B:	the result of works acting on the surface of the control volume
Option C:	the result of forces acting on the surface of the control volume
Option D:	the result of strasses acting on the surface of the control volume
Option D:	the result of suesses acting on the surface of the control volume
014	Valaaity defeat in houndary layer theory is defined as
Q14.	The arrow in the measurement of velocity at any point in the hour demotes
Option A:	The error in the measurement of velocity at any point in the boundary layer
Option B:	I ne difference between the velocity at a point within the boundary layer and the
	tree stream velocity

## University of Mumbai

# Examination 2020 under cluster KJSIEIT

Option C:	The difference between the velocity at any point within the boundary layer and
	the velocity near the boundary
Option D:	The ratio between the velocity at a point in the boundary layer and the free stream
	velocity
Q15.	The drag coefficient is directly proportional to the
Option A:	Area
Option B:	Mass density
Option C:	Drag force
Option D:	Flow speed
Q16.	Bodies with a larger cross section will have
Option A:	Lower drag
Option B:	Higher drag
Option C:	Same drag
Option D:	No drag
Q17.	When a bullet hits a solid block and gets embedded into it. What is conserved?
Option A:	Momentum only
Option B:	Kinetic energy only
Option C:	Momentum and kinetic energy
Option D:	Mass
Q18.	Speed of sound in an ideal gas depends on
Option A:	Temperature and pressure
Option B:	Surface area and volume
Option C:	Temperature and composition
Option D:	Composition and surface area
Q19.	What happens to velocity in the converging duct of nozzle?
Option A:	Increases
Option B:	Decreases
Option C:	Same
Option D:	Independent
Q20.	How do we calculate losses for a larger range of Reynolds number?
Option A:	Moody chart
Option B:	Bar chart
Option C:	Scatter chart
Option D:	Column histogram

## University of Mumbai

### Examination 2020 under cluster KJSIEIT

Q2	Solve any	Two Questions out of Three	10 marks each
	The rate of	of flow of water through a horizontal pipe is 0.25m^3/s. The dia	ameter of the pipe
	which is	200mm is suddenly enlarged to 400mm. The pressure intens	ity is the smaller
Δ	pipe is 11	.772N/cm^2. Determine:	
A	i.	Loss of head due to sudden enlargement	
	ii.	Pressure intensity in the large pipe	
	iii.	Power lost due to enlargement	
В	Derive Von Karman momentum integral equation for boundary layer flows.		
	Calculate	:	
	i.	The pressure gradient along flow,	
С	ii.	The average velocity, and	
	iii.	The discharge for an oil of viscosity 0.02Ns/m^2 flowing	ing between two
		stationary parallel plates 1m wide maintained 10mm apa	art. The velocity
		midway between the plates is 2m/s.	

Q3.	Solve the following:
Α	Solve any Two 5 marks each
i.	Three pipes of length 800m, 500m and 400m and of diameters 500mm, 400mm and
	300mm respectively are connected in series. These pipes are to be replaced by a single
	pipe of length 1700m. Find the diameter of the single pipe.
ii.	Find the maximum power transmitted by a jet of water discharging freely out of nozzle
	fitted to a pipe = $300m$ long and $100mm$ diameter with coefficient of friction as $0.01$ .
	The available head at the nozzle is 90m.
iii.	An airplane is flying at a height of 15km where the temperature is -50°C. The speed of
	the plane is corresponding to M=2.0. Assuming k=1.4 and R=287 J/kg°K, find the speed
	of the plane.
В	Solve any One 10 marks each
i.	A syphon of diameter 200mm connects two reservoir having a difference in elevation of
	15m. The total length of syphon is 600m and the summit is 4m above the water level in
	the upper reservoir. If the separation takes place at 2.8m of water absolute, find the
	maximum length of syphon from upper reservoir to the summit. Take f= 0.004 and
	atmospheric pressure = $10.3$ m of water.
ii.	Explain Prandtl mixing length theory for turbulent shear stress and Karman-Prandtl
	velocity distribution in turbulent flow in pipes.

### University of Mumbai Examination 2020 Examinations Commencing from 23<sup>rd</sup> December 2020 to 6<sup>th</sup> January 2021 and from 7<sup>th</sup> January 2021 to 20<sup>th</sup> January 2021 Program: S.E. (Civil) Curriculum Scheme: Rev 2016 Examination: SE Semester IV Course Code: CEC401 and Course Name: APPLIED MATHEMATICS-IV

Time: 2 hour

Max. Marks: 80

01.	All the Questions are compulsory and carry 2 marks each.
(40 Marks)	
1.	If A = $\begin{bmatrix} 2 & 3 \\ -3 & -4 \end{bmatrix}$ find $A^{50}$
Option A:	$\begin{bmatrix} -149 & -150 \\ 150 & 151 \end{bmatrix}$
Option B:	$\begin{bmatrix} 149 & -150 \\ 150 & 151 \end{bmatrix}$
Option C:	$\begin{bmatrix} 149 & 150 \\ -150 & 151 \end{bmatrix}$
Option D:	$\begin{bmatrix} 149 & -150 \\ -150 & 151 \end{bmatrix}$
2.	If $A = \begin{bmatrix} 1 & 2 \\ 2 & 2 \end{bmatrix}$ find $2A^4 - 5A^3 - 7A + 6I$
Option A:	$\begin{bmatrix} 36 & -32 \\ -32 & -52 \end{bmatrix}$
Option B:	$\begin{bmatrix} 36 & 32 \\ 32 & 52 \end{bmatrix}$
Option C:	$\begin{bmatrix} 36 & 32 \\ -32 & -52 \end{bmatrix}$
Option D:	36 52   52 52
3.	The mean weekly sales of powder in a super market is 146.3. After a special advertisement campaign, the mean weekly sales in 22 branches increases to 153.7 with a S D of 17.2. Find the calculated value of 't'
Option A:	4.22
Option B:	1.97
Option C:	9.88
Option D:	16
4.	A simple sample of 400 students is taken from a large population. The mean height of students in the sample is 171.38 cm, while the mean height in the population is 171.17 cm & S.D is 3.3 cm.Find the calculated value of 'z'
Option A:	1.27
Option B:	8.21
Option C:	3.98
Option D:	11.21

5.	In an experiment on pea – breeding Mendle obtained the following results.315 round seeds of yellow colour, 101 wrinkled seeds of yellow colour, 108 round seeds of green colour, 32 wrinkled seeds of green colour. According to his theory of heredity, this no. should be in the proportion 9:3:3:1. Find the calculated value of chi – square.
Option A:	1.89
Option B:	7.82
Option C:	8.72
Option D:	0.47
6.	A random variable X has the following p.d.f $X = x$ 01234567 $P(X=x)$ 0k2k2k3k $k^2$ $2k^2$ $7k^2 + k$
Option A:	0.1
Option B:	0.5
Option C:	0.9
Option D:	1.5
7.	A continuous R.V X has a p.d.f given by $f(x) = kx^2(2-x)0 \le x \le 2$ 0 0.w Find k, mean & variance
Option A:	3/4 . 1.2 . 0.16
Option B:	5,3.7,3.8
Option C:	1/2, 1/3, 3
Option D:	1/2,3,1/3
I	
8.	Out of 800 families with 4 children each, how many families would be expected to have atleast 1boy
Option A:	600
Option B:	100
Option C:	250
Option D:	750
<b>1</b>	
9.	The average marks scored by 32 boys is 72, with a S.D of 8 while that for 36 girls is 70 with a S.D of 6. find the calculated value of 'z'
Option A:	3.2
Option B:	5.5
Option C:	1.15
Option D:	6
10.	The mean height and S.D height of 8 randomly chosen sailors are 166.9 cm and 8.29 cm respectively. The corresponding values of 6 randomly chosen soldiers are 170.3 cm and 8.5 cm respectively. Based on these data find the calculated value of 't'.
Option A:	0.1
Option B:	0.7
Option C:	1.9
Option D:	3.6
_	
11.	A skilled typist on routine work kept a record of mistakes made per

	day during 300 working days. If she made one mistake on 143 days &
	two mistakes on 110 days. Find the number of days on which on which
	she made 3 mistakes using Poisson's distribution?
Option A:	55
Option B:	68
Option C:	39
Option D:	93
<b>1</b>	
12.	In a distribution exactly normal 7% of items are under 35 & 89% are under 63. Find the mean & S.D
Option A:	$m = 50.3$ , $\sigma = 10.33$
Option B:	$m = 10.33$ , $\sigma = 50.3$
Option C:	$m = 25.1$ , $\sigma = 5.15$
Option D:	$m = 5.15$ , $\sigma = 25.1$
13.	A continuous R.V X has the p.d.f defined by $f(x) = A + Bx$ $0 \le x \le 1$ 0 other wise
	If the mean of the distribution is 1/3. Find A & B.
Option A:	A = 2, B = -2
Option B:	A = 2, B = 2
Option C:	A = -2, B = -2
Option D:	A = 3, B = -2
14.	The standard deviations calculated from two random samples of sizes 9 & 13 are 1.99 & 1.9 respectively. Find the calculated value of 'F'
Option A:	1.139
Option B:	2.52
Option C:	6.61
Option D:	5.65
15.	If the random variable X takes the values 1,2, 3 & 4 such that 2P(X=1) = 3P(X=2) = P(X=3) = 5P(X=4). Find P(X=1).
Option A:	15/61
Option B:	10/61
Option C:	30/61
Option D:	6/61
16.	Using Green's Theorem evaluate $\int (xy + y^2)dx + x^2dy$ over the curve C
	where C is the closed region bounded by $y = x \& y = x^2$
Option A:	1
Ontion D:	20 19
Орион В.	
Option C:	$\frac{-19}{20}$
Option D:	$\left  -\frac{1}{20} \right $
	20
17	Using Stoke's theorem evaluate $\int \bar{F} d\bar{r}$ where $\bar{F} = (2r - v)\bar{i} - vz^2\bar{i} - vz^2\bar{i}$
17.	$v^2 z \bar{k} x$ S is the surface of the hemisphere $v^2 \pm v^2 \pm z^2 - a^2$ lying above
	$y = 2\pi \alpha c \sigma \sigma \sigma \sigma c \sigma \sigma$
Option A.	$\pi a^2$
Option A.	<i>nu</i>

Option B:	πα
Option C:	$\pi a^2$
Option D:	$\frac{\pi a}{2}$
18.	Use Gauss – Divergence theorem to evaluate $\iint \overline{N} \cdot \overline{F}  ds$ where
	$\overline{F} = 4x\overline{\iota} - 2y^2\overline{j} + z^2\overline{k}$ & S is the region bounded by $x^2 + y^2 = 4$ , $z =$
	0 & z = 3
Option A:	$7\pi$
Option B:	$12\pi$
Option C:	$28\pi$
Option D:	84π
19.	Minimize $Z = 2y_1 + 3y_2$ subject to $y_1 + y_2 \ge 5$ , $y_1 + 2y_2 \ge 6$ $y_1, y_2$
	$\geq 0$
Option A:	$Z_{\min} = 13$
Option B:	$Z_{\min} = 15$
Option C:	$Z_{\min} = 11$
Option D:	$Z_{min} = -11$
20.	Use Dual Simplex method to Maximize $Z = -3x_1 - 2x_2$ subject to
	$x_1 + x_2 \ge 1$ , $x_1 + x_2 \le 7$ , $x_1 + 2x_2 \ge 10$ , $x_2 \le 3$ $x_1$ , $x_2 \ge 0$
Option A:	$Z_{\text{max}} = 18$
Option B:	$Z_{max} = -18$
Option C:	$Z_{\text{max}} = 9$
Option D.	

Q2	Solve any Four out of Six, 5 marks each.	
(20 Marks)		
А	Show that the matrix $\begin{bmatrix} 2 & -3 & 3 \\ 0 & 3 & -1 \\ 0 & -1 & 3 \end{bmatrix}$ is derogatory, hence find the minimal polynomial.	
В	A total number of 3759 individuals were interviewed in a public opinion survey on a political proposal. Of them, 1872 were men & the rest women.A total of 2257 individuals were in favour of the proposal & 917 were opposed to it. A tptal of 243 men were undecided & 442 women were opposed to the proposal. Do you justify the hypothesis that there is no assosciation between sex and attitude.	
С	Solve by simplex method the following L.P.P Minimize $Z = x_1 - 3x_2 + 3x_3$ subject to $3x_1 - x_2 + 2x_3 \le 7$ , $2x_1 + 4x_2 \ge -12$ , $-4x_1 + 3x_2 + 8x_3 \le 10x_1 \cdot x_2 \cdot x_3 \ge 0$	
D	Two independent samples of sizes 8 & 7 contained the following values.Sample11917152116181614Sample215141519151816Is the difference between the sample means significant.	

Е	Let X be a continuous random variable with p.d.f $f(x) = kx(1-x)$ $0 \le x \le 1$ Find k and determine a number b such that $P(X \le b) = P(X \ge b)$ .
F	If the vector field $\overline{F}$ is irrotational find constants a, b, c where $\overline{F}$ is given by $\overline{F} = (x + 2y + az)\overline{i} + (bx - 3y - z)\overline{j} + (4x + cy + 2z)\overline{k}$ . Hence find the work done in moving a particle in this field from (1, 2, -4) to (3, 3, 2) along the straight line joining these points.

Q3.	Solve any Four Questions out of Six, 5 marks each.
(20 Marks)	
	Fit a Poisson distribution to the following data & test the goodness of fit.
А	x 0 1 2 3 4 5
	f 142 156 69 27 5 1
	$[-9 \ 4 \ 4]$
В	Show that the matrix $-8$ 3 4 is diagonalisable
	Construct the dual of the problem and hence solve
С	Maximize $Z = 2x_1 + x_2$ subject to
	$-x_1 + 2x_2 \le 2$ , $x_1 + x_2 \le 4$ , $x_1 \le 3, x_1, x_2 \ge 0$
	Find the equations of lines of regression for the following data
D	X: 2 4 6 7 8 10 12
	Y: 1600 1500 1800 1900 1700 2100 2000
Е	<i>if</i> $A = \begin{bmatrix} 1 & 4 \\ 2 & 3 \end{bmatrix}$ , prove that $A^{50} - A^{49} = \begin{bmatrix} -4 & 4 \\ 2 & -2 \end{bmatrix}$ .
	Calculate the rank correlation coefficient from the following data
F	Marks in paper I: 52, 63, 45, 36, 72, 65, 45, 25
	Marks in paper II: 62, 53, 51, 25, 79, 43, 60, 33

#### University of Mumbai Examination 2020 under cluster : KJSIEIT Examinations Commencing from 23<sup>rd</sup> December 2020 to 6<sup>th</sup> January 2021 and from 7<sup>th</sup> January 2021 to 20<sup>th</sup> January 2021 Program: CIVIL ENGINEERING Curriculum Scheme: Rev 2016 Examination: SE Semester IV Course Code:CEC402 and Course Name: SURVEYING-II

Time: 2 hour

Max. Marks: 80

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
1.	Find the zenith distance at the upper culmination of the stars, declination of star
	42°15' N, latitude of observer 26°40' N
Option A:	15° 35'
Option B:	15 °30'
Option C:	14 °35'
Option D:	14° 30'
2.	Principle of radial line Resection & Intersection for preparing map from aerial
	photographs
Option A:	To fix main points on the map
Option B:	To transfer imaginary points on the map
Option C:	To locate the principal point of photographs on a map
Option D:	Marking actual points on the map
3.	Satellite for Earth Observation (SEO-I), now called
Option A:	Avsar-I
Option B:	Grah-I
Option C:	Avishkar-I
Option D:	Bhaskara-I
4.	Find the altitude at the upper culmination of the stars, zenith distance is 3°20'
Option A:	86° 41'
Option B:	86° 40'
Option C:	86° 39'
Option D:	86° 38'
5.	Which of the following provides the best case for setting the reverse curve?
Option A:	When straights are perpendicular
Option B:	When straights form arc
Option C:	When straights are parallel
Option D:	When straights form curves
6.	Which of the following cases is generally adopted in the reverse curve?
Option A:	T1 = T2

Option B:	R1 = R2
Option C:	t1 = t2
Option D:	Chainages are equal
7.	In case of parallel straights, the length of the curve is given as
Option A:	$L = (2(R1+R2)V)^{1/2}$
Option B:	L = 2L(R1+R2) / V
Option C:	L = 2V(R1-R2) / R
Option D:	L = 2V(R1*R2) / R
8.	The angle which is measured at the change of direction of two gradients is called
Option A:	Standard angle
Option B:	Subtended angle
Option C:	Deviation angle
Option D:	Setback angle
9.	Which of the following indicates the correct set of the combination of total
	station?
Option A:	Theodolite, compass
Option B:	Theodolite, EDM
Option C:	Electronic theodolite, EDM
Option D:	EDM, GPS
10.	Find the elevation of ground beneath the reflector, if the known elevation of
	instrument is 12.76m, slope distance = $3.76m$ , angle is about $3^{\circ}43'$ , instrument
	height = $2.93$ m, ground is at $0.987$ m.
Option A:	18.54m
Option B:	81.45m
Option C:	18.45m
Option D:	18.97m
11.	Which of the following can be affected by atmospheric path disturbances?
Option A:	Modern GPS surveying
Option B:	Conventional GPS
Option C:	Absolute positioning
Option D:	Resection method
12.	Which of the following doesn't belong to the relative positioning techniques?
Option A:	Real-time kinematic technique
Option B:	Viscous GPS technique
Option C:	Kinematic GPS surveying technique
Option D:	Differential GPS technique
12	
13.	which of the following is not a principle of remote sensing?
Option A:	Interaction of energy with satellite
Option B:	
Option C:	Electro-magnetic spectrum
Option D:	Interaction of energy with atmosphere
14.	Polar orbiting satellites are generally placed at an altitude range of

Option A:	7-15km
Option B:	7000-15000km
Option C:	700-1500km
Option D:	70-150km
-	
15.	GIS uses the information from which of the following sources?
Option A:	Non- spatial information system
Option B:	Spatial information system
Option C:	Global information system
Option D:	Position information system
16.	Which of the following is not a type of shutter used in aerial photogrammetry?
Option A:	Between-the-lens shutter
Option B:	Louvre shutter
Option C:	Ideal shutter
Option D:	Focal plane shutter
17.	Flying height refers to
Option A:	Upper portion of the exposure station
Option B:	Bottom of the exposure station
Option C:	Depression of the exposure station
Option D:	Elevation of the exposure station
18.	A survey which deals with bodies of water for the purpose of navigation, water
	supply, harbor works or for the determination of mean sea level is
Option A:	Topographic surveying
Option B:	Hydrographic surveying
Option C:	Cadastral surveying
Option D:	City surveying
19.	Which of the following doesn't describe the use of hydrographic surveying
Option A:	Laying an Alignment
Option B:	Making underground investigations
Option C:	Nautical charts for navigation
Option D:	Establishing mean sea level
-	
20.	Which of the following doesn't come under the category of shore line survey?
Option A:	Delineation of shore line
Option B:	Location of shore details
Option C:	Determination of the low and high water lines
Option D:	Sounding

# Subjective/Descriptive questions

Q2	Solve any Four out of Six	5 marks each
А	Draw the format of a 7/12 abstract and state the data mention	oned in it.
В	Explain the field procedure to set out a simple circular curv	ve by Rankine's

	method of deflection angles.
С	Explain the working of a handled GPS receiver.
D	State the duties and responsibilities of a Tehshildar.
E	Explain the working principle of EDM.
F	Principle and use of aerial photogrammetry.

Q3	Solve any Two Questions out of Three	10 marks each
C		
А	Two tangents intersect at chainage 1200m, the deflection compute the data for setting out a 400 m radius curve by and offsets. Take 30m chord lengths in the general reach.	angle being 40° deflection angles
В	What is electro digital theodolite ? Explain all its field appl	lication
С	Two straights AB & BC meet at an inaccessible point connected by simple curve 600m radius. Two points P and in AB and BC respectively and the following data were obt $\langle APQ=150^\circ, \langle CQP=160^\circ; PQ=150.0 \text{ m} \rangle$ Make the necessary calculations for setting out the curve tangential angles, given that the chainage of P=1600.00m t 30 m length.	B and are to be I Q were selected tained: by the method of take unit chord of

### University of Mumbai Examination 2020 under cluster : KJSIEIT Program: Civil Engineering

#### **Curriculum Scheme: Rev2016**

#### **Examination: SE Semester: IV**

#### Course Code: CE-C403 and Course Name: Structural Analysis -1

Time: 2 hour

Max. Marks: 80

-----

For the students: All the questions compulsory and carry equal marks.

Q 1	Choose the correct option for following questions. All the questions are compulsory and carry equal marks.
1	The parabolic three-hinged arch ACB having span 20m and rise 5m up to crown C which is hinged. The left half portion AC carries UDL of 1000N/m. Calculate the reaction at left support B.
Option A:	2500N
Option B:	3545N
Option C:	4545N
Option D:	5455N
2	The equivalent length is a column of length L having both the ends hinged, is
Option A:	2L
Option B:	L
Option C:	L/2
Option D:	$L/\sqrt{2}$
3	In the displacement method of structural analysis, the basic unknowns are

Option A:	displacement	
Option B:	force	
Option C:	displacement and force	
Option D:	torsion	
4	In conjugate beam method, shear force is represented by	
Option A:	rotation at that section in original beam	
Option B:	deflection at that section in original beam	
Option C:	strain at that section in original beam	
Option D:	stress at that section in original beam	
5	A three-hinged parabolic arch having supports at different levels, the equation of parabola is used where, a is constant.	
Option A:	x/y=a	
Option B:	x/y=a <sup>2</sup>	
Option C:	$2x/y=a^2$	
Option D:	x²/y=a	
6	For simply supported beam, span is 'L' and udl 'w' per unit length acting over whole length of beam. The shear force at L/4 will be	
Option A:	5.5wL <sup>3</sup> /192EI	
Option B:	3.5w <sup>3</sup> L/196EI	
Option C:	6wL <sup>2</sup> /120EI	
Option D:	8wL/12EI	
7	A cantilever beam AB of length 'L', carries a point load 'P' at free end B. If the bending moment at a distance x from the free end is Px then the strain energy will	

	be	
Option A:	P <sup>3</sup> L/6EI	
Option B:	P <sup>3</sup> L <sup>3</sup> /6EI	
Option C:	PL/6EI	
Option D:	PL <sup>3</sup> /6EI	
8	In moment area method, slope at point is calculated as	
Option A:	area of M/EI diagram	
Option B:	moment of area of M/EI diagram	
Option C:	area of EI/M diagram	
Option D:	moment of area of EI/M diagram	
9	For cantilever beam, at free end a point load 'W' is acting. At distance x from free end, what will be deflection	
Option A:	PL <sup>3</sup> /3EI	
Option B:	P <sup>3</sup> L/3EI	
Option C:	PL/EI	
Option D:	P <sup>2</sup> L <sup>2</sup> /EI	
10	$P=\pi^2 EI/4L^2$ is the equation for Euler's crippling load if	
Option A:	both the ends are fixed	
Option B:	both the ends are hinged	
Option C:	one end is fixed and other end is free	
Option D:	one end is fixed and other end is hinged	
11	In cable-suspension bridge, the forces on anchor cable and towers depend upon	

Option A:	suspenders provided	
Option B:	type of support given to cable	
Option C:	length of anchor cable	
Option D:	size of tower	
12	The length of a column, having a uniform circular cross-section of 7.5 cm	
	diameter and whose ends are hinged, is 5 m. If the value of E for the material is 2100 kN/cm2, the permissible maximum crippling load will be	
Option A:	1.288 kN	
Option B:	12.88kN	
Option C:	128.8kN	
Option D:	288.0kN	
13	For cable-suspension bridge, in guided pulley support, the tension in anchor cable	
	and main cable is	
Option A:	remains same in both cables	
Option B:	more in anchor cable than main cable	
Option C:	more in main cable than anchor cable	
Option D:	zero in anchor cable	
14	The materials which have the same elastic properties in all directions, are called	
Option A:	homogeneous	
Option B:	brittle	
Option C:	isotropic	
Option D:	hard	
15	For suspension bridge girder with three-hinged stiffening girder, due to udl $(w_e)$	

	per unit length by suspenders and span 'l', the bending moment at section x-x is
Option A:	w <sub>e</sub> x(1-x)/8
Option B:	$8w_ex(l+x)$
Option C:	w <sub>e</sub> (1-x)/8x
Option D:	$w_{e}(1^{2}-2x)/8x$
16	A simply supported beam AB of 8m carries 60kN point load at mid point C. The flexural rigidity (EI) of span AC and CB is EI and 2EI respectively. Calculate the slope at A.
Option A:	100/EI
Option B:	125/EI
Option C:	150/EI
Option D:	200/EI
17	A simply supported beam AB of 8m carries 60kN point load at mid point C. The flexural rigidity (EI) of span AC and CB is EI and 2EI respectively. Calculate the slope at B.
Option A:	140/EI radians
Option B:	160/EI radians
Option C:	180/EI radians
Option D:	150/EI radians
18	A simply supported beam AB of 8m carries 60kN point load at mid point C. The flexural rigidity (EI) of span AC and CB is EI and 2EI respectively. Calculate the deflection at C.
Option A:	469/EI
Option B:	480/EI
Option C:	491/EI

Option D:	499/EI
19	If area of M/EI diagram between points A and B is negative, then angle from
	tangent A to tangent B will be measured
Option A:	counterclockwise
Option B:	clockwise
Option C:	can be anything
Option D:	angle will be zero
20	The parabolic three-hinged arch ACB having span 20m and rise 5m up to crown
	the reaction at left support A.
Option A:	6545N
Option B:	7500N
Option C:	8555N
Option D:	8745N

#### Q 2 Solve any Two Questions out of Three (10 marks each)

- A A symmetrical three hinged parabolic arch of span 40m and central rise of 4m is carries UDL of intensity of 20kN/m over left half of the arch and central point load of 110 kN. Determine support reactions, NT and RS at left quarter point, maximum positive and negative BM. Also draw BMD.
- **B** Draw AFD, SFD and BMD for following frame



C A bridge cable suspended from towers 80m apart and carries a load of 30 kN/m on the entire span. If the maximum sag is 8m, calculate the maximum tension in the cable. If the cable is supported by saddles which are stated by wires inclined at  $30^{\circ}$  to the horizontal, determine the forces acting on the towers. If the same inclination of back stay passes over pulley, determine the forces on the towers.





- B A three-hinged stiffening girder of a suspension bridge of span 100m is subjected to two point loads of 200 kN and 300 kN at the distance of 25m and 50m from left end. Find the shear force and bending moment for the girder at a distance 30m from the left end. The supporting cable has a central dip of 10m. Find also the maximum tension and its slope in the cable.
- C A hollow circular column of length 6 m, external diameter 200 mm and internal diameter 160 mm is fixed at on end & hinged at the other end. If the column carries a load of 160 KN applied at distance 40 mm from column axis, determine extreme fibre stresses.
  Take E for column material as 120 GPa.

#### University of Mumbai Examination 2020 under cluster : KJSIEIT Examinations Commencing from 23<sup>rd</sup> December 2020 to 6<sup>th</sup> January 2021 and from 7<sup>th</sup> January 2021 to 20<sup>th</sup> January 2021 Program: Civil Engineering Curriculum Scheme: Rev 2016 Examination: SE Semester IV Course Code: CE-C404 and Course Name: BUILDING DESIGN & DRAWING

\_\_\_\_\_

Time: 2 hour

Max. Marks: 80

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks		
1.	The term is used to mean the link or access or movement between		
	the various rooms and floors of building.		
Option A:	Flexibility		
Option B:	Prospect		
Option C:	Circulation		
Option D:	Elegance		
2.	The height of the Plinth should not be less than		
Option A:	45 cm		
Option B:	450 cm		
Option C:	1 m		
Option D:	500 cm		
3.	The minimum distance between school building and a source of continuous noise		
	is		
Option A:	100m		
Option B:	200m		
Option C:	300m		
Option D:	500m		
4.	For residential buildings window openings area should be minimum		
Option A:	5% of floor area		
Option B:	10% of floor area		
Option C:	20% of floor area		
Option D:	25% of floor area		
<b>1</b>			
5.	As per NBC - 2005, the minimum width of staircase in public building is		
Option A:	1.0 m		
Option B:	1.2 m		
Option C:	1.5 m		
Option D:	1.8 m		
<b>t</b>			
6.	When an object has its two faces inclined to the picture plane, its perspective is		
	called perspective also called two point perspectives.		
Option A:	Parallel		
Option B:	oblique		

Option C:	angular
Option D:	vanishing
_	
7.	The perspectives of all horizontal lines inclined at 45 degrees to the picture plane
	converge to a distance points on the
Option A:	ground line
Option B:	perpendicular axis
Option C:	horizon line
Option D:	center of vision
<b>*</b>	
8.	it is non-development zone which is located on the periphery of the
	town. It usually prevents chaotic spread of the town.
Option A:	Industrial zone
Option B:	Commercial zone
Option C:	Green Belt
Option D:	Recreational Zone
1	
9.	Recreational zone is creating for
Option A.	Professional Meeting
Option B:	Industrial Manufacturing
Option C:	Entertainment activity
Option D:	Business activity
option D.	
10.	The type of planning system of Gandhinagar city is
Option A:	Concentric and radial street system
Option B:	rectangular grid iron system
Option C:	Rectangular combined with radial street system
Option D:	Organic street system
-	
11.	Zoning is not related to the following aspect
Option A:	density zoning
Option B:	External zoning
Option C:	height zoning
Option D:	Use zoning
•	
12.	means demolishing old structure and replacing same with new
	structure with new dimension and space
Option A:	Development
Option B:	Planning
Option C:	Demolization
Option D:	Redevelopment
13.	Man-made structures, features, and facilities viewed collectively as an
	environment in which people live and work, is termed as
Option A:	Built Environment
Option B:	Town Planning
Option C:	Artificial Buildings
Option D:	Residential Zones
14.	Scaling objects make them

Option A:	Smaller	
Option B:	Bigger	
Option C:	Either smaller or bigger	
Option D:	Thinner	
15.	Which is not a objectives of Building Bye laws?	
Option A:	Allows disciplined and systematic growth of buildings and towns and prevent	
- F	haphazard development	
Option B:	Protect safety of public against fire, noise, health hazards and structural failures	
Option C:	They provide health, safety and comfort to the people who live in buildings	
Option D:	Renovation of old buildings without any charge by the government	
1		
16.	For a gold LEED certification, how many points are required?	
Option A:	40-49	
Option B:	60-79	
Option C:	50-59	
Option D:	80-110	
1		
17.	GRIHA means	
Option A:	Green Rating for Integrated Habitat Assessment	
Option B:	Green Rating for Integrated Habitat Aspect	
Option C:	Green Research for Integrated Habitat Aspect	
Option D:	Green Research for Integrated Habitat Assessment	
18.	Sustainability means	
Option A:	Building Green	
Option B:	Planting trees	
Option C:	Conducting any human activity such that Resources are not permanently depleted	
	affecting the lives of future generation	
Option D:	Improving Infrastructure	
19.	In a school, no.of drinking water foundations required are	
Option A:	1 per 30	
Option B:	1 per 40	
Option C:	1 per 50	
Option D:	1 per 60	
20.	Minimum width of w/c required in residential buildings is	
Option A:	0.9 m	
Option B:	1.0 m	
Option C:	1.2 m	
Option D:	1.5 m	

Q2	Solve any One	20 marks
А	It is proposed to construct a high schoo (G+1) R.C.C. Framed structure with the (a)No. of Class rooms =16 no.(eac	l building in a district place as e following facilities ch having 75 sq.m. carpet area)

	(b)No. of Labs =4 no. (7	/5sq.m. each)	
	(c)No. of Drawing rooms =3 no. (60 sq.m. each)		
	(d)Computer room =60 sq.m.		
	(e)Principal's room =45 sq.m.		
	(f) Office =75 sq.m.		
	(g)Library –cum-reading Room =75sq.m.		
	(h)Gymkhana =100 sq.m.		
	(i) Canteen =60 sq.m.		
	(j) Indoor games =100 sq.m.		
	(k)Assume floor to floor	height as 3.5m provide adequate	e passages,
	Staircases,	Toilet/sanitary units as per the l	bye-laws.
	Draw the following	according to some suitable scale	
	GROUND FLOOR PLAN (c	louble line plan )	_15 marks
	FIRST FLOOR PLAN (sing	<u>e line plan )</u>	05 marks
В	It is proposed to construct a l structure with the following requirement 1) 2 Seated Rooms 8 no 2) 3 Seated Rooms 8 no 3) Guest Room - 20 m2 4) Entrance and Recepti 5) Hostel Warden Room 6) Indoor Games - 35 m 7) TV/Audio Room - 40 8) Newspapers & Maga 9) Kitchen - 40 m2 10) Dining Area - 120 m2 Provide passage, toiled laws. Assume floor to floor height as 4 m Draw with suitable sc	Boys Hostel building as (G+1) R ents. s -each 18 m <sup>2</sup> s -each 30 m <sup>2</sup> on - 20 m <sup>2</sup> n - 15 m <sup>2</sup> 2 m <sup>2</sup> zines - 30 m <sup>2</sup> et, Dog legged staircase, etc as pe eale louble line plan )	CC framed er the bye- _15 marks
	FIRST FLOOR PLAN (sing	<u>e line plan )</u>	05 marks

Q3	Solve any one	20 marks
A	Write short notes on the following (Five marks each)	
i	(a) Green Building	
ii	(b) Master plan	
iii	(c) Road system	
iv	(d) Green belt	
В	Draw the Two-point perspective with the following data	a

Size of Dining hall=30m x 12 m.
Plinth height=0.6 m
Floor to floor height =4.0m
Assume the eye level at 2.5 m. from Ground level